

BRAMAH SECURITY CENTRES LTD.

ESTABLISHED 1940

31 OLDBURY PLACE LONDON W1U 5PT

LOCKSMITHS DEPT: TELEPHONE: 020 7486 1757 FACSIMILE: 020 7935 2779 EMAIL: LOCKSMITHS@BRAMAH.CO.UK
 ALARM DEPT: TELEPHONE: 020 7486 0755 FACSIMILE: 020 7486 2092 EMAIL: ELECTRICAL@BRAMAH.CO.UK

WEB: WWW.BRAMAH.CO.UK
I WANT A SAFE

06 January 2010

It's a phrase repeated by so many of our customers, that we feel it is time to commit to paper standard parts of the safe buying and selling process.

What amount of cover do you need?

Bramah can meet most safe requirements and a customer may buy any item they want; but we sell a safe based on its insurance rating. This is expressed as a cash rating, which is then generally multiplied by 10 to get to a valuables rating. E.g. £3000 cash rating = £30000 valuables rating. In some commercial circumstances this multiplier may be only 7.

What are my cover options?

You may have a safe suitable for the following valuable covers:

- £30000
- £40000
- £60000
- £100000
- £175000
- £350000

Higher ratings do exist, so please enquire but those listed suit most customers' requirements.


What Safes do you have that meets my requirements?

Bramah choose to sell a particular make within each chosen cover range. There are a number of possible ranges in the market place, but we support the one's that in our opinion provide the most customer satisfaction, the most reliability, the best availability and good pricing.

Importantly our customers often have high value items, that are small and very little spare space due to living in apartments, mews and terrace houses. So we particularly focus on quality small units.

Securikey Range - £30000 to £40000 Bracket

We sell the Securikey Range of key or digital locking safes, which covers the £30000 to £40000 bracket. Now on sale for a fifth year, they are primarily sold as Digital locking and have proven reliable, with easy battery changes. In addition they have a useful feature in that the serial number may be registered with the manufacturer which means they carry a back up code to be used in an emergency. The Size 1 is probably the best seller, due to it being small with a shelf.



Fichet Range - £60000 - £350000 Bracket

The Fichet Range comes out of the Gunnebo stable of products, which includes Chubb, Rosengren and Tann. The Fichet factory is probably Europe's most advanced plant, with its products having real quality, but delivered in a range which is small enough to fit into a London property. These have been on sale for 6 years with us, during which time the product has evolved and they remain some of the most 'handsome' and advanced on the market

Can I see the safes?

Bramah stock the smaller and faster moving items. Due to the shortage of space in Marylebone the full range is available is brought in from manufacturers on demand.

Instead we supply technical literature for both our chosen ranges, while both Securikey and Fichet have excellent websites:

- www.securikey.co.uk
- www.fbh-fichet.com

Factory visits may be arranged.

Other Questions

- **What about Fire?** – All safes have some fire protection, which may be expressed on the technical literature. You can add to this level of cover by the use of Fire Retardant Document Wallets. For paper or computer data specific fire prevention items are appropriate, but they tend to be less secure. You have in effect a trade off. Security v Fire.
- **Where can I fit them?** – Up to and including £60000 of cover, the largest safe is the weight of 2.5 men (243kg) and most lifts will take this weight and most properties will similarly have no issue either. Thereafter greater care is required. All safes must be bolted down and this will present other problems. Gas pipes, water pipes and wires are always a risk. It is your responsibility to give us clearance, before we drill.
- **Left justified?** – All safes come as standard right hinged. To fully open a safe door and give clear access one must open the door past 90 degrees. You need to be away from the right wall to do this, therefore placed against a left wall is best.
- **Will my floor be damaged?** – Smaller safes no, but larger safes are heavy and while boards are placed and care taken, it is always best to place a safe on site early before finishing work is done. Cranes are used when appropriate and site surveys are undertaken.
- **Can I fit myself or can my builder?** – Yes you can collect or have a delivery only. Please do however remember the Health and Safety issues involved in moving and lifting weight and don't forget to record the serial number before it is bolted down.

Pricing and Delivery?

Bramah's most popular list of safes with pricing is attached. Delivery is charged for and tends to be from £90 plus vat for the smallest to £300 plus vat for the largest, without a crane. This will vary depending on the property.

Delivery times vary from ex stock to 4 weeks, while bespoke will take longer.


Do I really need a safe?

Free standing safes are pieces of furniture you take with you on life's journey. Properly secured they will protect your most important possessions from all but the most determined attackers. Should you be at risk from such an attack, then your property should be properly alarmed and locked to a very high level.

Recent reports over Christmas record master bedrooms being ransacked while people are away, with basement and ground floors being emptied while people are in bed asleep.

In our opinion a safe brings some piece of mind and can make a real difference when a burglary happens.

Should you have further queries or wish to discuss your site in detail please do not hesitate to call or visit us.

A handwritten signature in black ink that reads "Jeremy Bramah". The signature is written in a cursive style with a long horizontal line extending to the right from the end of the name.

Jeremy Bramah
Managing Director

Bramah - Locksmiths Division - 31 Oldbury Place, London, W1U 5PT

Bramah's Most Popular Safes by Insurance Rating From 1st January 2010																	
Manufacturer	Safe Type	Locking Method	Shelf	Cash Cover	Valuable Cover	kg	H	W	D	H	W	D	L	£ Selling Price	Vat @ 17.5%	£ Selling Incl Vat	
Fire Resistant Document Boxes																	
Burton	Fire Retardant Doc Wallet													35.00	6.13	41.13	
	2017 - A4	Key				9								65.00	11.38	76.38	
	2037 - A4 File	Key				11								125.00	21.88	146.88	
Free Standing																	
£3000 Cash Rating																	
							External mm			Internal mm							
Securikey	Mini Vault 0	Key	N	£3,000	£30,000	22	250	374	276	240	354	210	18	135.00	23.63	158.63	
	Mini Vault 1	Key	Y	£3,000	£30,000	29	294	374	326	284	354	260	26	165.00	28.88	193.88	
	Mini Vault 2	Key	Y	£3,000	£30,000	52	532	374	426	522	354	360	67	245.00	42.88	287.88	
	Mini Vault 1 Deposit	Key	Y	£3,000	£30,000	31	284	374	326	282	354	260	26	220.00	38.50	258.50	
	Mini Vault 2 Deposit	Key	Y	£3,000	£30,000	57	532	374	426	522	354	360	67	319.00	55.83	374.83	
	Mini Vault 0	Digital	N	£3,000	£30,000	22	250	374	276	240	354	210	18	185.00	32.38	217.38	
	Mini Vault 1	Digital	Y	£3,000	£30,000	29	294	374	326	284	354	260	26	215.00	37.63	252.63	
	Mini Vault 2	Digital	Y	£3,000	£30,000	52	532	374	426	522	354	360	67	295.00	51.63	346.63	
	Mini Vault 1 Deposit	Digital	Y	£3,000	£30,000	31	284	374	326	282	354	260	26	270.00	47.25	317.25	
	Mini Vault 2 Deposit	Digital	Y	£3,000	£30,000	57	532	374	426	522	354	360	67	369.00	64.58	433.58	
£4000 Cash Rating																	
							External mm			Internal mm							
Securikey	Mini Vault 0 FR	Key	N	£4,000	£40,000	25	250	374	274	138	304	168	7	195.00	34.13	229.13	
	Mini Vault 1 FR	Key	Y	£4,000	£40,000	32	294	374	325	182	304	220	12	225.00	39.38	264.38	
	Mini Vault 2 FR	Key	Y	£4,000	£40,000	62	532	374	425	420	304	320	41	305.00	53.38	358.38	
	Mini Vault 0 FR	Digital	N	£4,000	£40,000	25	250	374	274	138	304	168	7	245.00	42.88	287.88	
	Mini Vault 1 FR	Digital	Y	£4,000	£40,000	32	294	374	325	182	304	220	12	275.00	48.13	323.13	
	Mini Vault 2 FR	Digital	Y	£4,000	£40,000	62	532	374	425	420	304	320	41	345.00	60.38	405.38	
£6000 Cash Rating																	
							External mm			Internal mm							
Fichet	Complice 10	Keylock M3B	Y	£6,000	£60,000	96	360	455	275	260	360	140	13	824.00	144.20	968.20	
	Complice 20	Keylock M3B	Y	£6,000	£60,000	115	360	455	355	260	360	220	21	855.00	149.63	1004.63	
	Complice 40	Keylock M3B	Y	£6,000	£60,000	170	500	455	435	400	360	300	43	996.00	174.30	1170.30	
	Complice 80	Keylock M3B	Y	£6,000	£60,000	243	630	455	645	530	460	330	80	1,238.00	216.65	1454.65	
Nectra Keypad	Complice 10	Digital	Y	£6,000	£60,000	96	360	455	275	260	360	140	13	1,183.00	207.03	1390.03	
	Complice 20	Digital	Y	£6,000	£60,000	115	360	455	355	260	360	220	21	1,201.00	210.18	1411.18	
	Complice 40	Digital	Y	£6,000	£60,000	170	500	455	435	400	360	300	43	1,365.00	238.88	1603.88	
	Complice 80	Digital	Y	£6,000	£60,000	243	630	455	645	530	460	330	80	1,602.00	280.35	1882.35	
	Posting Slot + Antifish													197.00	34.48	231.48	
	Extra Shelves													47.00	8.23	55.23	

Bramah - Locksmiths Division - 31 Oldbury Place, London, W1U 5PT

Bramah's Most Popular Safes by Insurance Rating From 1st January 2010

Manufacturer	Safe Type	Locking Method	Shelf	Cash Cover	Valuable Cover	kg	External mm			Internal mm			L	£ Selling Price	Vat @ 17.5%	£ Selling Incl Vat
							H	W	D	H	W	D				
£10000 Cash Rating																
Fichet	Carena Class 1 40	Keylock M3B	Y	£10,000	£100,000	164	510	555	430	405	444	230	41	1,571.00	274.93	1845.93
	Carena Class 1 80	Keylock M3B	Y	£10,000	£100,000	225	630	555	520	525	444	320	74	1,746.00	305.55	2051.55
	Carena Class 1 120	Keylock M3B	Y	£10,000	£100,000	284	830	555	520	725	444	320	103	1,893.00	331.28	2224.28
	Carena Class 1 160	Keylock M3B	Y	£10,000	£100,000	372	1150	555	520	1045	444	320	148	2,205.00	385.88	2590.88
	Carena Class 1 250	Keylock M3B	Y	£10,000	£100,000	440	910	765	650	805	654	450	236	2,756.00	482.30	3238.30
	Carena Class 1 370	Keylock M3B	Y	£10,000	£100,000	603	1310	765	650	1205	654	450	353	3,262.00	570.85	3832.85
Nectra Keypad	Carena Class 1 40	Digital	Y	£10,000	£100,000	164	510	555	430	405	444	230	41	2,145.00	375.38	2520.38
	Carena Class 1 80	Digital	Y	£10,000	£100,000	225	630	555	520	525	444	320	74	2,320.00	406.00	2726.00
	Carena Class 1 120	Digital	Y	£10,000	£100,000	284	830	555	520	725	444	320	103	2,467.00	431.73	2898.73
	Carena Class 1 160	Digital	Y	£10,000	£100,000	372	1150	555	520	1045	444	320	148	2,779.00	486.33	3265.33
	Carena Class 1 250	Digital	Y	£10,000	£100,000	440	910	765	650	805	654	450	236	3,330.00	582.75	3912.75
	Carena Class 1 370	Digital	Y	£10,000	£100,000	603	1310	765	650	1205	654	450	353	3,836.00	671.30	4507.30
£17500 Cash Rating																
							External mm			Internal mm						
Fichet	Carena Class 11 40	Keylock M3B	Y	£17,500	£175,000	172	510	555	430	405	444	230	41	1,828.00	319.90	2147.90
	Carena Class 11 80	Keylock M3B	Y	£17,500	£175,000	238	630	555	520	525	444	320	74	2,048.00	358.40	2406.40
	Carena Class 11 120	Keylock M3B	Y	£17,500	£175,000	306	830	555	520	725	444	320	103	2,239.00	391.83	2630.83
	Carena Class 11 160	Keylock M3B	Y	£17,500	£175,000	402	1150	555	520	1045	444	320	148	2,594.00	453.95	3047.95
	Carena Class 11 250	Keylock M3B	Y	£17,500	£175,000	473	910	765	650	805	654	450	236	3,176.00	555.80	3731.80
	Carena Class 11 370	Keylock M3B	Y	£17,500	£175,000	643	1310	765	650	1205	654	450	353	3,767.00	659.23	4426.23
Nectra Keypad	Carena Class 11 40	Digital	Y	£17,500	£175,000	172	510	555	430	405	444	230	41	2,402.00	420.35	2822.35
	Carena Class 11 80	Digital	Y	£17,500	£175,000	238	630	555	520	525	444	320	74	2,622.00	458.85	3080.85
	Carena Class 11 120	Digital	Y	£17,500	£175,000	306	830	555	520	725	444	320	103	2,813.00	492.28	3305.28
	Carena Class 11 160	Digital	Y	£17,500	£175,000	402	1150	555	520	1045	444	320	148	3,168.00	554.40	3722.40
	Carena Class 11 250	Digital	Y	£17,500	£175,000	473	910	765	650	805	654	450	236	3,750.00	656.25	4406.25
	Carena Class 11 370	Digital	Y	£17,500	£175,000	643	1310	765	650	1205	654	450	353	4,341.00	759.68	5100.68
£35000 Cash Rating																
							External mm			Internal mm						
Fichet	Carena Class 111 80	Keylock M3B	Y	£35,000	£350,000	250	630	555	520	525	444	320	74	2,424.00	424.20	2848.20
	Carena Class 111 120	Keylock M3B	Y	£35,000	£350,000	317	830	555	520	725	444	320	103	2,643.00	462.53	3105.53
	Carena Class 111 160	Keylock M3B	Y	£35,000	£350,000	420	1150	555	520	1045	444	320	148	3,036.00	531.30	3567.30
	Carena Class 111 250	Keylock M3B	Y	£35,000	£350,000	488	910	765	650	805	654	450	236	3,868.00	676.90	4544.90
	Carena Class 111 370	Keylock M3B	Y	£35,000	£350,000	675	1310	765	650	1205	654	450	353	4,270.00	747.25	5017.25
Nectra Keypad	Carena Class 111 80	Digital	Y	£35,000	£350,000	250	630	555	520	525	444	320	74	2,998.00	524.65	3522.65
	Carena Class 111 120	Digital	Y	£35,000	£350,000	317	830	555	520	725	444	320	103	3,217.00	562.98	3779.98
	Carena Class 111 160	Digital	Y	£35,000	£350,000	420	1150	555	520	1045	444	320	148	3,610.00	631.75	4241.75
	Carena Class 111 250	Digital	Y	£35,000	£350,000	488	910	765	650	805	654	450	236	4,442.00	777.35	5219.35
	Carena Class 111 370	Digital	Y	£35,000	£350,000	675	1310	765	650	1205	654	450	353	4,844.00	847.70	5691.70

Hampton
37 Oldbury Place
London W1U 8PT
Tel: 020 7425 2333



MINI VAULT
PREMIER
EURO GRADE 0

CASH SAFES


A set of tough and durable safes for home and
business with multiple locking options



MINI VAULT



Manufactured with a 4mm body, an 8mm anti-bludgeon flush fit door and 25mm locking bolts, the Mini Vault is ideal for the safekeeping of documents, valuables, cash and laptop computers in hotel rooms, at home or in the office. It is available in three sizes and the choice of a key or electronic locking mechanism. The electronic option offers two changeable codes, override facility and an LED battery indicator. All versions have an internal key hook bar, flush-fit door with concealed hinges and bottom and back fixing options, perfect for securing inside suitable furniture.




MINI VAULT FR



Made to the same high security standards as the Mini Vault, the Mini Vault FR's double-wall construction (4mm outer wall and 2mm inner skin) with fire resistant filling also offers fire protection for 30 minutes at temperatures of up to 750°C.



Mini Vault 1



Mini Vault 2 FR

MINI VAULT

		Dimensions (mm)			Approx. Weight (kg)	Volume (l)
		Height	Width	Depth		
Mini Vault 0	ext	250	374	274	22	18
	int	240	354	210		
Mini Vault 1	ext	294	374	325	29	26
	int	282	354	260		
Mini Vault 2	ext	532	374	425	52	67
	int	522	354	360		
Mini Vault 1 Deposit	ext	284	374	326	31	26
	int	282	354	260		
Mini Vault 2 Deposit	ext	532	374	426	57	67
	int	522	354	360		

MINI VAULT FR


Mini Vault 0 FR	ext	250	374	274	25	7
	int	138	304	168		
Mini Vault 1 FR	ext	294	374	325	32	12
	int	182	304	220		
Mini Vault 2 FR	ext	532	374	425	62	41
	int	420	304	320		

Deposit facilities can reduce cash rating, please check with your insurer

DEPOSIT OPTIONS – SEE PAGE 19




Keypad with 2 User Codes



Hook Bar on inside of the door for Spare Key Security

DEPOSIT SAFES

In most commercial environments there is a need for a deposit safe, somewhere where you can safely deposit items such as cash, keys and other valuables without the need for keys and codes to open the safe and without drawing attention to its existence. Securikey provides a range of quality deposit safes which offer flexibility in the workplace.



DEPOSIT SAFES

MINI VAULT (see page 11)

The Mini Vault is ideal for safeguarding documents, valuables and cash.

		Dimensions (mm)			Aperture Size (mm)			Volume (l)
		Height	Width	Depth	Height	Width	Weight (kg)	
Mini Vault 1	ext	294	374	325	20	140	31	26
Deposit	int	282	354	260				
Mini Vault 2	ext	532	374	425	100	250	57	67
Deposit	int	522	354	360				

STEEL STOR (see page 18)

The SFSCDR48 offers a rotary deposit drum that is best suited to larger items. It features a 90mm x 250mm aperture, sprung returned so drum always closed, secure safe lock with 2 keys, 4mm steel plate body and drum, dog bar to protect hinged side of door and 180 degree door access.

The SFSC60WDD is equipped with a lockable front deposit drawer that allows the contents to drop into the cabinet once the drawer is fully closed, thus removing the need to open the cabinet. It features a 240mm x 160mm x 75mm drawer aperture, safe lock on drawer and door, 4mm body and door, 3 way bolt work and FG approval against burglary and attack.

		Dimensions (mm)			Weight (kg)	Cash Rating (£)
		Height	Width	Depth		
SFSCDR48*	ext	480	320	320	42	3000
SFSC60WDD	ext	760	540	400	110	3000

Rotary Drum on SC60/100

EURO GRADE (see pages 12-17)

Widely regarded as the number one name in safes, our Euro Grade range provides performance under the toughest conditions and the most determined attacks.

	Aperture Size		
	Height	Width	Max. Depth
Rotary Drum	90	200	220
Slot Deposit	To customer specification		
Tube Deposit	To customer specification		




UNDERFLOOR SAFES (see page 20)

The Securikey range of underfloor safes provides high levels of security at affordable prices whether in the office or at home. Deposit tube diameter is 52mm.

		Dimensions (mm)			Weight (kg)	Cash Rating (£)
		Height	Width	Depth		
Housesafe Extra*	ext	305	305	305	24	3000
Protector Minor 3*	ext	360	270	320	26	4000
Protector Minor 5*	ext	360	270	410	28	4000
Protector 3*	ext	360	270	320	27	6000
Protector 5*	ext	360	270	410	29	6000
Protector ABP 3*	ext	360	270	320	31	10,000
Protector ABP 5*	ext	360	270	410	33	10,000

*Supplied with 12 non-magnetic capsules



Deposit facilities can reduce cash rating, please check with your insurer



Rotary Drum

COMPLICE

Burglary Protection Solution



Certified Burglary-Resistance

- EN 1143-1, Grade 0 (ECB•S)
- A2P (CNPP)



COMPLICE

Burglary Protection Solution

To protect personal valuables and important documents, Fichet-Bauche has designed the Compline range of security safes for the home and office.

Did you know?

The locks used on safes must also be certified to ensure that the safe maintains the correct level of burglary protection

Product Overview

Compline is available in four sizes, from 10 up to 80 litres, as either a free-standing or in-the-wall safe. As an option, the safes can be ordered with a slot above the door for the quick and easy deposit of documents or envelopes into the safe without having to open the door.

The safe's door and hinges have been ergonomically designed and have undergone repetitive operational tests to ensure their durability. With a wide range of fittings available, Compline's interior storage space can be used to the full.

Burglary Protection

Compline has been awarded the A2P label by CNPP (National Centre for Prevention and Protection) and has been certified by ECB•S for Grade 0 burglary resistance in accordance with the European standard, EN 1143-1. This corresponds to an insurable value of €8 000.

Locks

Compline safes have been designed to be equipped with Fichet-Bauche's patented mechanical and electronic locks. All the locks are A2P/EN 1300 certified.

MxB – level B/E – is a high-security mechanical lock. Due to the innovative shape and design of the key, over 10 million different possible keys can be manufactured, making replication extremely difficult. For added security, a blocking system prevents the key from being removed until the door has been properly locked.

The Nectra electronic lock – level B/E – generates more than 110 million different code combinations and offers several levels of functionality. The standard version has 1 master code and 7 user codes, wrong-code blocking, time delay and a duress alarm. This can be upgraded with the audit trail function (which records up to 500 events) and a biometric fingerprint reader.


SINGLE LOCKS

MxB, Nectra

LOCK COMBINATIONS

MxB + MxB


MxB + Nectra




MxB key



Nectra



Optional deposit slot



Interior fittings (from top left): Shelf, extensible shelf, extensible frame for hanging files, lockable compartment, A5 file clip.

Interior Fittings

- Complisce can be fitted with a shelf with enough space for a laptop.
- The Complisce 80 can be fitted with a lockable compartment for extra security.
- The extensible frame for hanging files is the ideal solution for organising payroll slips, tax papers and other business documents. The two larger safes in the range, 40 and 80, can be delivered with a slot in the top of the door for the secure and simple depositing of documents or money. This is designed with an anti-retrieval system to prevent any deposits being fished back out via the slot.

Fichet-Bauche Technology

Complisce derives its strength from double-thickness, sheet steel walls, a reinforced 87mm door and a specially designed, extra-tough mineral composite. The safe is locked by a single thick steel bolt running the height of the door. When subjected to attack by mechanical or thermal tools, the lock is completely blocked by a relocking mechanism.

As an option, Complisce can be connected to your alarm system so that a warning will sound if the safe door is accidentally left open.

Burglary Testing Procedure

In order to obtain the EN 1143-1 classification, Complisce has been subjected to a series of stringent break-in tests using a variety of tools.

Test Verification

Once tested, products are analysed by the test laboratory in order to verify that they correspond to the technical drawings delivered prior to the test.



Complisce is suitable for the home and can be mounted into a wall (left) or installed as a free-standing safe (above).

Fichet-Bauche Guarantee





Fichet-Bauche products are designed and manufactured in accordance with the ISO 9001 standard for Quality Management Systems and ISO 14000 for Environmental Management Systems. All Complisce safe components are tested by the Fichet-Bauche laboratory in compliance with the current European standards.

COMPLISCE

CASH SAFES

COMPLICE

Technical Specifications



FBGB.6008.R1

Dimensions (mm)	COMPLICE 10		COMPLICE 20		COMPLICE 40		COMPLICE 80
	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing
External height	360	360	360	360	500	500	630
External width	455	455	455	455	455	455	455
External depth	275	234	355	314	435	394	645
External width (door open 180°)	840	840	840	840	840	840	840
External depth (door open 90°)	685	644	765	724	845	804	975
Internal height	260	260	260	260	400	400	530
Internal width	360	360	360	360	360	360	460
Internal depth	140	140	220	220	300	300	330
Interior capacity (litres)	13	13	21	21	43	43	80
Weight (kg)	96	27	115	32	170	45	243

Fittings and options	COMPLICE 10		COMPLICE 20		COMPLICE 40		COMPLICE 80
	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing
Shelf	2	-	2	-	5	-	7
Shelf with hidden compartment	-	-	-	-	-	-	4
Extensible shelf	-	-	-	-	-	-	4
Extensible frame for hanging files	-	-	-	-	-	-	1
Lockable compartment	-	-	-	-	-	-	3
A5 file clip	1	-	-	-	-	-	-

This is a non-contractual document. The information provided is not exhaustive and may be subject to change.

CARENA

Burglary Protection Solution



Certified Burglary-Resistance
• A2P (CNPP) / ECB•S
EN 1143-1
Grades I E, II E, III E



CARENA

Burglary Protection Solution

Carena is at the forefront of ergonomic design. Each safe in the range is easy to use with a host of security features to provide burglary protection for your valuables.

Did you know?

The locks used on safes are certified to ensure that the safe maintains the correct level of burglary protection

Product Overview



Carena is available in six sizes, from 40 to 370 litres. The safe – designed to meet your changing professional needs – is extremely secure, functional and attractive.

Features


- Ergonomically sculpted handles for ease of opening
- A single bolt which runs from the top to the bottom of the safe for reinforced locking
- Fichet-Bauche's patented Gradium composite for optimised weight to volume ratio
- An anchoring bolt for fixing to the ground or wall
- Integrated electronics for connection to any alarm system
- A shutter to protect the safe's lock and handle when not in use
- Door which opens to 90° for full access to safe's contents

Burglary Protection

Carena is certified by leading European standards agency ECB•S (European Certification Board•Security Systems) in accordance with EN 1143-1 for Grades I E, II E and III E. Carena is also certified by CNPP (National Centre for Prevention and Protection) with the A2P label.



Fichet-Bauche's unique MxB key.



Moneo



Nectra



Ev'Hora



Interior Fittings

With a wide range of interior fittings available, Carena can be adapted to meet your day-to-day needs. The fittings help improve the organisation of your valuables inside the safe.

◀ Interior fittings (from top left): Removable sliding shelf, removable sliding stationary tray, lockable compartment, extensible frame for hanging files and shelving unit for 50 files.

Locks

In order to suit different security requirements, Carena safes are designed to be fitted with a variety of locking systems. Thanks to Fichet-Bauche's patented mechanical and electronic locks, all of which are A2P/EN 1300 certified, your valuables are given the protection they require.

The MxB – level B/E – is a high-security mechanical lock. Its innovative shape and design, which allows for over 10 million different possible keys, make replication extremely difficult.

The MC4 – level A/E – is a mechanical combination lock capable of generating 28 000 different codes due to its four dials, marked from 1 to 12.

The Nectra electronic lock – level B/E – generates more than 110 million different code combinations and offers several levels of functionality. The standard version has 1 master code and 7 user codes, wrong-code blocking, time delay and a duress alarm. This can be upgraded with the audit trail function (which records up to 500 events) and a biometric digital fingerprint reader.

The Moneo mechanical combination lock – level C/E – permits several million different codes. Its scramble-upon-opening feature ensures that the dials are automatically reset to 0 after being used.

The Ev'Hora electronic lock – level B/E – is designed to be used as part of your security network. Ev'Hora locks are capable of exchanging and sharing information with one another and with your system, enabling you to rapidly modify security procedures.

SINGLE LOCK

MxB, Nectra,
Moneo, Ev'Hora

LOCK COMBINATIONS

MxB + MxB
MxB + MC4
MxB + Nectra
MxB + Moneo
MxB + Ev'Hora

Burglary Testing Procedure

In order to obtain the EN 1143-1 classification, Carena has been subjected to a series of stringent break-in tests using a variety of tools.

Test Verification

Once tested, products are analysed by the test laboratory in order to verify that they correspond to the technical drawings delivered prior to the test.

Fichet-Bauche Guarantee

Fichet-Bauche products are designed and manufactured in accordance with the ISO 9001 standard for Quality Management Systems, ISO 18001 for Occupational Health and Safety Management Systems and ISO 14000 for Environmental Management Systems. All Carena safe components are tested by the Fichet-Bauche laboratory in compliance with the current European standards.

Disc cutter



Electro-hammer




Thermal lance



CARENA

Technical Specifications



Dimensions (mm)	Carena 40	Carena 80	Carena 120	Carena 160	Carena 250	Carena 370	
External height	510	630	830	1150	910	1310	
External width	555	555	555	555	765	765	
External depth	430	520	520	520	650	650	
External width (door open 90°)	625	625	625	625	835	835	
External width (door open 180°)	1090	1090	1090	1090	1510	1510	
External depth (door open 90°)	990	990	990	990	1330	1330	
Internal height	405	525	725	1045	805	1205	
Internal width	444	444	444	444	654	654	
Internal depth	230	320	320	320	450	450	
Clearance (door open 90°)	410	410	410	410	620	620	
Interior capacity (litres)	41	74	103	148	236	353	
Weight (kg)	Grade I E	174	242	309	400	505	663
	Grade II E	194	267	340	440	533	723
	Grade III E	-	300	379	502	610	803

Fittings and options	Carena 40	Carena 80	Carena 120	Carena 160	Carena 250	Carena 370
Removable sliding tray	4	8	12	19	14	22
Sliding stationery tray	-	4	6	10	7	11
Extensible frame for hanging files	-	1	2	3	2	3
Shelving unit for 50 files	-	-	-	-	2	4
Interior compartment	-	3 (150mm)	4 (150mm)	3 (300mm)	3 (200mm)	2 (400mm)

CARENA

White

Add a touch of exclusivity to your home, office or store with the lustrous Carena White.

Carena, a Fichet-Bauché classic, has now been redesigned to create this sleek, stylish safe in pure pearly white.

Every detail of the safe, from the transparent fittings to the spotlight interior, has been expertly sculpted to create a graceful and sophisticated design.

You can even lend your own character to the safe by choosing from a range of specially selected Carena door art.


Carena White is available in the full range of standard Carena models, with all the same locking and fittings options, and, of course, offers the same levels of certified burglary protection.

This is a non-contractual document. The information provided is not exhaustive and may be subject to change.




Nature

A Touch of Exclusivity




Postmodern



Romance



Art Deco



Asiatic

Create your own Carena. Choose from a range of door art, available in 5 inspirational styles: Asiatic, Art Deco, Romance, Nature and Post-modern.

CARENA

CARENA

Leather

Add a touch of elegance to your home, office or store with the splendidly striking Carena Leather.

The original Carena, a Fichet-Bauche classic, has been redesigned to create this sumptuous safe clad in luxurious leather.



Every detail of the safe has been expertly sculpted to create a sophisticated and novel design, from the transparent fittings to the illuminated interior.

Carena Leather is available in models 40-160, with all the same locking and fittings options as the standard Carena, and, of course, offers the same levels of certified burglary protection.

This is a non-contractual document. The information provided is not exhaustive and may be subject to change.



A Touch of Elegance



Create your own Carena. Choose from a range of luxurious leather door exteriors in chestnut, red, tan, dark brown or black.



CARENA